

REFERENCES – CITRUS 12/2003

Abd El-Migeed, M. M., Saleh, M. M. S., & Mostafa, E. A. (2007). The beneficial effect of minimizing mineral nitrogen fertilization on Washington navel orange trees by using organic and biofertilizers. <i>World J. Agric. Sci</i> , 3(1), 80-85.
Ahmad, K., Sijam, K., Hashim, H., Rosli, Z., & Abdu, A. (2011). Field assessment of calcium, copper and zinc ions on plant recovery and disease severity following infection of Huanglongbing (HLB) disease. <i>African Journal of Microbiology Research</i> , 5(28), 4967-4979.
Atta, A. A., Morgan, K. T., Ritenour, M. A., & Kadyampakeni, D. M. (2023). Nutrient Management Impacts on HLB-affected ‘Valencia’ Citrus Tree Growth, Fruit Yield, and Postharvest Fruit Quality. <i>HortScience</i> , 58(7), 725-732.
Allen. (1962). Dry root rot of citrus induced by ammonium excesses (abstr). <i>Phytopathology</i> 52:721,
Ateyyat, M. A., & Mustafa, T. M. (2001). Cultural control of citrus leafminer, <i>Phyllocnistis citrella</i> Stainton (Lepidoptera: Gracillariidae) on lemon in Jordan. <i>International journal of pest management</i> , 47(4), 285-288.
Bernardi, A. C. D. C., Carmello, Q. A. D. C., Carvalho, S. A. D., Machado, E. C., Medina, C. L., Gomes, M. D. M. D. A., & Lima, D. M. (2015). Nitrogen, phosphorus and potassium fertilization interactions on the photosynthesis of containerized citrus nursery trees. <i>Journal of plant nutrition</i> , 38(12), 1902-1912.
Beattie, G., Weir, R., Clift, A., & Jiang, L. (1990). Effect of nutrients on the growth and phenology of <i>Gascardia destructor</i> (Newstead) and <i>Ceroptastes sinensis</i> del Guercio (Hemiptera: Coccidae) infesting citrus. <i>Journal of the Australian Entomological Society</i> , 29(3), 199-203
Bi, J. L., Castle, S. J., Byrne, F. J., Tuan, S. J., & Toscano, N. C. (2005). Influence of seasonal nitrogen nutrition fluctuations in orange and lemon trees on population dynamics of the glassy-winged sharpshooter (<i>Homalodisca coagulata</i>). <i>Journal of chemical ecology</i> , 31(10), 2289-2308.
Borowicz, V. A., Albrecht, U., & Mayer, R. T. (2003). Effects of nutrient supply on citrus resistance to root herbivory by <i>Diaprepes abbreviatus</i> L.(Coleoptera: Curculionidae). <i>Environmental entomology</i> , 32(5), 1242-1250.
Burnett, H. C., Nemec, S., & Patterson, M. (1982). A review of Florida citrus blight and its association with soil edaphic factors, nutrition and <i>Fusarium solani</i> . <i>International Journal of Pest Management</i> , 28(4), 416-422.
Braham, M., Boulahia-Kheder, S., Kahia, M., & Nouira, S. (2023). Aphids and citrus responses to nitrogen fertilization. <i>Journal of the Saudi Society of Agricultural Sciences</i>
Campanella, V., Ippolito, A., & Nigro, F. (2002). Activity of calcium salts in controlling <i>Phytophthora</i> root rot of citrus. <i>Crop Protection</i> , 21(9), 751-756.
Cantu, L. (2015). <i>Effect of nitrogen fertilization on host plant quality and on the developmental parameters of Asian citrus psyllid and its nymphal parasitoid Tamarixia radiata</i> (Doctoral dissertation, Texas A&M University-Kingsville).
Catling, H. D. (1969). The bionomics of the South African citrus psylla, <i>Trioza erytrae</i> (Del Guercio) (Homoptera: Psyllidae). 1. The influence of the flushing rhythm of citrus and factors which regulate flushing.—J. ent. Soc. sth. Afr. 32, 191–208.
Catling, H. D. (1971). The bionomics of the South African citrus psylla, <i>Trioza erytrae</i> (Del Guercio)(Homoptera: Psyllidae) 5. The influence of host plant quality. <i>Journal of the Entomological Society of Southern Africa</i> , 34(2), 381-391.
Chaboussou, F. (1976). Cultural factors and the resistance of citrus plants to scale insects and mites. Fertilizer use and plant health. <i>Internat. Potash Inst., Worblaufen-Bern, Switzerland</i> , 259-280.

Crane, J. H. (2010). Key Lime Growing in the Florida Home Landscape.
Chávez-Dulanto, P. N., Rey, B., Ubillús, C., Rázuri, V., Bazán, R., & Sarmiento, J. (2018). Foliar application of macro-and micronutrients for pest-mites control in citrus crops. <i>Food and Energy Security</i> , 7(2), e00132.
Devite, F. T., Azevedo, F. A. D., Bastianel, M., Conceição, P. M. D., Boaretto, R. M., & Mattos Júnior, D. D. (2023). Responses of calcium-supplied Murcott IAC 221 tangor plants to <i>Alternaria alternata</i> infection. <i>Revista Brasileira de Fruticultura</i> , 45, e-995.
Dito, D. (2016). The potential management of citrus leafminer, <i>Phyllocnistis citrella</i> (Stainton) (Lepidoptera: Gracillariidae), by use of soluble silicon fertilizers. University of California, Davis.
Dixon, R. K., Garrett, H. E., & Cox, G. S. (1989). Boron fertilization, vesicular-arbuscular mycorrhizal colonization and growth of citrus jambhiri lush. <i>Journal of plant nutrition</i> , 12(6), 687-700.
Eckert, J. W., & Eaks, I. L. (1989). Postharvest disorders and diseases of citrus fruits. The citrus industry, 5, 179-260.
Embleton, T.W., Jones, W.W., Platt, R.G., 1975. Plant nutrition and citrus fruit crop quality and yield. <i>HortScience</i> 10,48–50.
Fake, C. (2004). Fertilizing citrus in the foothills. Horticulture and Small Farms Advisor, Nevada & Placer Counties. Publication Number, 31.
Farag, K. M., Essa, A. A., Nagy, N. M. N., Haikal, A. M., & Attia, S. M. (2014). Influencing of Some Factors on Regreening of “Valencia” Orange Fruits. <i>Adv Plants Agric Res</i> 1 (4): 00022.
Franco, J. C., Suma, P., da Silva, E. B., Blumberg, D., & Mendel, Z. (2004). Management strategies of mealybug pests of citrus in Mediterranean countries. <i>Phytoparasitica</i> , 32(5), 507-522.
Fraps, G. S., & Asbury, S. E. (1928). Commercial Fertilizers 1927-28. Texas FARMER Collection. Bulletin 387
Gottwald, T. R., Graham, J. H., Irely, M. S., McCollum, T. G., & Wood, B. W. (2012). Inconsequential effect of nutritional treatments on huanglongbing control, fruit quality, bacterial titer and disease progress. <i>Crop Protection</i> , 36, 73-82.
Hare, J. D., & Bethke, J. A. (1988). Egg production and survival of the citrus red mite on an artificial feeding system. <i>Entomologia experimentalis et applicata</i> , 47(2), 137-143.
Hare, J., Morse, J., Menge, J., Pehrson, J., Coggins, C., Embleton, T., Jarrell, W., Meyer, J. (1989). Population responses of the citrus red mite and citrus thrips to ‘Navel’ orange cultural practices. <i>Environmental entomology</i> V18(3): 481-488.
Jones, W.W., Smith, P.F., 1964. Nutrient deficiencies in citrus. In: Sprague, H.B. (Ed.), <i>Hunger Signs in Crops</i> . D. McKay Co, New York, pp. 359–414
Koo, R. C. J., Young, T. W., & Reese, R. L. (1973). Responses of 'bearss' lemon to nitrogen/potassium and irrigation applications.
Krajewski, A. J., & Krajewski, S. A. (2010, November). Canopy management of sweet orange, grapefruit, lemon, lime and mandarin trees in the tropics: Principles, practices and commercial experiences. In <i>I International Symposium on Tropical Horticulture</i> 894 (pp. 65-76).
Ladaniya, M.S. (2008). Citrus fruit; Biology, Technology and Evaluation. Academic press, United States of America
Lawless, W.W. & Camp, A.F., (1940). Preliminary reports on varieties, and other factors as influencing cold resistance in citrus. <i>Proc. Fla. State Horticul. Soc.</i> , 53: 120-25.
Liu, Z., Xu, C., Beattie, G. A., Zhang, X., & Cen, Y. (2019). Influence of different fertilizer types on life table parameters of citrus red mite, <i>Panonychus citri</i> (Acari: Tetranychidae). <i>Systematic and Applied Acarology</i> , 24(11), 2209-2218.

Li, H., Syvertsen, J. P., McCoy, C. W., Stuart, R. J., & Schumann, A. W. (2004). Soil liming and flooding effects on Diaprepes root weevil larval survival and citrus seedling growth. In Proceedings of the Florida State Horticultural Society (Vol. 117, pp. 139-143). Florida State Horticultural Society
Malik, N. S., Perez, J. L., Patt, J. E., Zibilske, L. M., & Mangan, R. L. (2012). Increased infestation of Asian citrus psyllids on cold treated sour orange seedlings: Its possible relation to biochemical changes in leaves. <i>Journal of Food, Agriculture & Environment</i> , 10(2), 424-429.
Malikoutsaki-Mathioudi, M., Bourbos, V. A., & Skoudridakis, M. T. (1987). Dry root rot, a serious disease of citrus in Greece [<i>Fusarium solani</i> , <i>F. proliferatum</i> , <i>F. sambucinum</i>]. <i>Bulletin OEPP (UK)</i> .
Mann, K., Schumann, A. W., & Spann, T. M. (2011, September). Balanced Mineral Nutrition Decreases Greasy Spot Incidence In Citrus. In The 2011 ASHS Annual Conference.
Manner, H. I., Buker, R. S., Smith, V. E., Ward, D., & Elevitch, C. R. (2006). Citrus (citrus) and Fortunella (kumquat). Species profile for pacific island agroforestry, 2(1), 1-35.
Marais, L. J. (2015). Efficacy of water soluble silicon in managing Fusarium dry root rot of citrus. <i>Acta Horti</i> , 1065, 993-1000.
Masaoka, Y., Pustika, A., Subandiyah, S., Okada, A., Hanundin, E., Purwanto, B., ... & Iwanami, T. (2011). Lower concentrations of microelements in leaves of citrus infected with 'Candidatus Liberibacter asiaticus'
Mattos-Jr, D., Huber, L. N., Peten, G., Bortoloti, G. A., Hippler, F. W. R., & Boaretto, R. M. (2023). Biochemical and anatomical aspects of copper deficiency induced by high nitrogen supply in Citrus. <i>Plant and Soil</i> , 1-12
Manresa-Grao, M., Pastor-Fernndez, J., Sanchez-Bel, P., Jaques, J. A., Pastor, V., & Flors, V. (2022). Mycorrhizal symbiosis triggers local resistance in citrus plants against spider mites. <i>Frontiers in Plant Science</i> , 13, 867778.
Menge, J., Morse, J., Hare, D., Coggins, C., Pehrson, J., Meyer, J., ... & Takele, E. (1990). IPM Integrated crop management increases citrus growth and yields. <i>California Agriculture</i> , 44(5), 11-11.
Moran, V. C., & Buchan, P. R. (1975). Oviposition by the citrus psylla, <i>Trioza erytreae</i> (Homoptera: Psyllidae), in relation to leaf hardness. <i>Entomologia experimentalis et applicata</i> , 18(1), 96-104.
Morgan, K., Rouse, R., Ebel, R. (2016). Foliar Applications of Essential Nutrients on Growth and Yield of 'Valencia' Sweet Orange Infected with Huanglongbing. <i>HortScience</i> 51(12):1482-1493.
Mustaqeem, M., Bokhari, S. A., Asif, S., Khan, M. R., Waqas, A., & Ahmed, H. (2014). Association of Citrus Leaf Miner, <i>Phyllocnistis citrella</i> (Lepidoptera: Gracillariidae: Phyllocnistinae) with Leaf Biochemical Factors (Ca, K and Mg) in Kinnow Leaves of District Sargodha, Punjab, Pakistan. <i>Pakistan J. Zool</i> , 46(4), 953-958.
Nega, A., Getu, E., & Hussein, T. (2014). Integrated Management of Woolly Whitefly [<i>Aleurothrixus floccosus</i> (Maskell) Homoptera: Aleyrodidae] on Citrus at Adama, East Shewa Zone, Ethiopia. <i>Journal of Biology, Agriculture and Healthcare</i> , 4(23), 8-21.
Omari, F. E., Beniken, L., Zouahri, A., Benaouda, H., Benkirane, R., & Benyahia, H. (2023). The Effect of Nitrogen Fertilization on Tree Growth, Fruit Yield and Quality of Clementine Nules on Two Citrus Rootstocks in the Gharb Region (Morocco).
Onillon JC, Onillon J, Brun P, Franco E, Decoux G. (1985). Effect of fertilizer on the population level of the citrus white-fly <i>Dialeurodes citri</i> (Homoptera, Aleyrodidae). In: Cavalloro R, Di Martino E, Eds. Proceedings of the Experts' Meeting " Integrated pest control in citrus-orchards"; 1985; Rotterdam: Balkema 1986; pp. 109-20.

Pande, Y. D. (1972). Seasonal fluctuations in the abundance and host preference of <i>Diopharina citri</i> Kuw. in relation to certain species of citrus. <i>Indian. J. agric. Res</i> , 6, 51-4.
Phillips, E. F., Mellies, A. J., Zeszutko, E. J., Weeks, E. N., & Allan, S. A. (2023). Effect of Nitrogen Fertilization Dose on <i>Diaphorina citri</i> (Hemiptera: Liviidae). <i>Journal of Agricultural and Urban Entomology</i> , 39(1), 29-47.
Pustika, A. B., Subandiyah, S., Holford, P., Beattie, G. A. C., Iwanami, T., & Masaoka, Y. (2008). Interactions between plant nutrition and symptom expression in mandarin trees infected with the disease huanglongbing. <i>Australasian Plant Disease Notes</i> , 3(1), 112-115.
Quaggio, J. A., Mattos, D., Cantarella, H., Almeida, E. L. E., & Cardoso, S. A. B. (2002). Lemon yield and fruit quality affected by NPK fertilization. <i>Scientia Horticulturae</i> , 96(1-4), 151-162.
Raciti G., Cutuli G., Intrigliolo F., Giuffrida A., 1990. Indagini sull'influenza delle tecniche colturali sul mal secco degli agrumi. <i>L'Informatore Agrario</i> 41: 61-64.
Ramirez-Godoy, A., Puentes-Perez, G., & Restrepo-Diaz, H. (2018). An evaluation of the use of calcium, potassium and silicon for the management of <i>Diaphorina citri</i> populations in Tahiti lime trees. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 46(2), 546-552.
Shenglin, W., & Xuannan, Q. (1996). Effects of nitrogen, potassium and the activity of polyphenol oxidase on the resistance of lemon gummosis. <i>Xi nan Nong ye da xue xue bao= Journal of Southwest Agricultural University</i> , 18(1), 6-9.
Salahi Ardakani, A., Tanha Mafi, Z., Mokaram, A., & Mohammadi Goltapeh, E. (2014). Relationship between soil properties and abundance of <i>Tylenchulus semipenetrans</i> in citrus orchards, Kohgiluyeh va Boyerahmad Province. <i>Journal of Agricultural Science and Technology</i> , 16, 1699-1710.
Salama, H. S., Amin, A. H., & Hawash, M. (1972). Effect of nutrients supplied to citrus seedlings on their susceptibility to infestation with the scale insects <i>Aonidiella aurantii</i> (Maskell) and <i>Lepidosaphes beckii</i> (Newman)(Coccoidea). <i>Zeitschrift für Angewandte Entomologie</i> , 71(1-4), 395-405.
Salama, H. S., El-Sherif, A. F., & Megahed, M. (1985). Soil nutrients affecting the population density of <i>Parlatoria zizyphus</i> (Lucas) and <i>Icerya purchasi</i> Mask.(Homopt., Coccoidea) on citrus seedlings. <i>Zeitschrift für Angewandte Entomologie</i> , 99(1-5), 471-476.
Sallato, B., Bonomelli, C., & Martiz, J. (2017). Differences in quality parameters and nutrient composition in Fukumoto oranges with and without creasing symptoms. <i>Journal of Plant Nutrition</i> , 40(7), 954-963.
Serikawa, R. H., Backus, E. A., & Rogers, M. E. (2013). Probing behaviors of adult Asian citrus psyllid (Hemiptera: Liviidae) are not appreciably affected by soil application of field-rate aldicarb to citrus. <i>Florida Entomologist</i> , 96(4), 1334-1343.
Shiraishi, M., Mohammad, P., Makita, Y., Fujibuchi, M., & Manabe, T. (1999). Effects of calcium compounds on fruit puffing and the ultrastructural characteristics of the subepidermal cell walls of puffy and calcium-induced non-puffy satsuma mandarin fruits. <i>Journal of the Japanese Society for Horticultural Science</i> , 68(5), 919-926.
Singh, S., Reddy, P. V. R., & Deka, S. (2020). Sucking Pests of Citrus. In <i>Sucking Pests of Crops</i> (pp. 481-515). Springer, Singapore.
Smoot, J. Houck, L., Johnson, H. (1971). Market Diseases of Citrus and Other Subtropical Fruits. Agriculture Handbook No. 398. Agricultural Research Service, United States Department of Agriculture

Sorribas, F. J., Verdejo-Lucas, S., Pastor, J., Ornat, C., Pons, J. and Valero, J. (2008). Population Densities of <i>Tylenchulus semipenetrans</i> Related to Physicochemical Properties of Soil and Yield of Clementi
Spann, T. M., Schumann, A. W., Rouse, B., & Ebel, B. (2011). Foliar nutrition for HLB. Citrus Industry, 92, 6-10.
Sternlicht, M., Regev, S., & Goldenberg, S. (1975). Effect of chemical element deficiencies in nutrient solutions on the reproduction of <i>Aceria sheldoni</i> (Ewing)(Acarina, Eriophyidae). Bulletin of Entomological Research, 65(3), 433-442
Steyn, J.J., 1951. The effect of low calcium, phosphorus or nitrogen on the lifecycle of red scale (<i>Aonidiella aurantii</i> Mask.). J. Entomol. Soc. S. Africa, 14: 165--170.
Storey, R., Treeby, M. T., & Milne, J. (2002). Crease: another Ca deficiency-related fruit disorder? <i>The Journal of Horticultural Science and Biotechnology</i> , 77(5), 565-571.
Teixeira, C., Saillard, C. Couture, E. C. Martins, N., Wulff, S. Eveillard-Jagoueix, P., Yamamoto, A., Ayres and Bove, J. (2008). Mol. Cell. Probes. 22, 139–150.
Telagamsetty, S. L. (2016). <i>Population densities of the Asian citrus psyllid in response to the nutritional quality of citrus flush shoots</i> (Doctoral dissertation, Texas A&M University-Kingsville).
Timmer L.W., P.D. Roberts, K.-R. Chung and A. Bhatia, (2001). Alternaria Brown Spot. Publication Number, SP-152, University of Florida, IFAS, EDIS, Gainesville.
Timmer, L. W., & Zitko, S. E. (1995). Evaluation of nutritional products and fungicides for control of citrus greasy spot. In <i>Proceedings of the Florida State Horticultural Society</i> (No. 108, pp. 83-87).
Treeby, M. T., & Storey, R. (2002). Calcium-spray treatments for ameliorating albedo breakdown in navel oranges. <i>Australian Journal of Experimental Agriculture</i> , 42(4), 495-502
Tsagkarakis, A. E., Perdakis, D. C., & Lykouressis, D. P. (2011). Seasonal Abundance and within tree Spatial Distribution of <i>Phyllocnistis citrella</i> (Lepidoptera: Gracillariidae). <i>Entomologia Generalis</i> , 33(3), 165.
Whiteside J.O., (1976). A newly recorded Alternaria-induced brown spot disease on Dancy tangerines in Florida. <i>Plant Disease Reporter</i> 60, 326–329.
Youpensuk, S., S. Lordkaew, and B. Rerkasem. (2008). Arbuscular mycorrhizal fungi associated with tangerine (<i>Citrus reticulata</i>) in Chiang Mai province, northern Thailand, and their effects on the host plant. <i>Science Asia</i> 34:259–264
Youssef, K., Ligorio, A., Sanzani, S. M., Nigro, F., & Ippolito, A. (2012). Control of storage diseases of citrus by pre-and postharvest application of salts. <i>Postharvest biology and technology</i> , 72, 57-63.
Zambon, F. T., Kadyampakeni, D. M., & Grosser, J. W. (2019). Ground Application of Overdoses of Manganese Have a Therapeutic Effect on Sweet Orange Trees Infected with Candidatus <i>Liberibacter asiaticus</i> . <i>HortScience</i> , 54(6), 1077-1086.